

21,328

Hubbell

Rev. 1918

21,328

# HUBBELL ELECTRICAL CATALOGUE



Western Electric Company  
Eleventh & York Sts., Philadelphia, Pa.



# Electrical Specialties

Catalogue and Price List No. 9. August, 1906

---

Prices subject to change without notice. All previous prices on goods mentioned in this Catalogue are hereby canceled.

---

*Manufactured by*

Harvey Hubbell, Incorporated

Main Office and Factory, Bridgeport, Conn.

New York

Chicago

San Francisco



## INTRODUCTORY

**I**N PRESENTING to the trade this, our 1906 catalogue we call particular attention to the many new specialties shown herein, all of which are the result of careful thought and experiment. They are original in design, practical and unequaled in their class.


With increased facilities and close attention to the minutest detail, the high reputation of the superior quality that has characterized the Hubbell Line in the past, will be maintained in the future.

HARVEY HUBBELL, Inc.

Bridgeport, Conn., August 1906



# *TELEGRAPHIC CODE*

An illustration of telegraph lines and poles. Two vertical poles are shown, one on the left and one on the right. Each pole has two horizontal cross-arms. The left pole has four insulators on each cross-arm, and the right pole has three. Multiple lines of telegraph wire stretch across the top of the page, supported by these poles.

To avoid liability of error, customers are requested to use code words, as far as possible, in telegraphing for goods, also for information relative to quotations or shipments.

# Telegraphic Code

## QUESTIONS

### GENERAL

Gesto	Write us full particulars regarding.
Gloria	Advise by mail.
Gratus	Advise by telegraph.
Gravis	Do the best you possibly can.
Grex	This is important.

### ORDERS

Obeo	Ship by freight.
Obruo	Ship by freight prepaid.
Obvlus	Ship by freight with sight draft attached to bill of lading.
Odium	Ship by express.
Olim	Ship by express prepaid.
Onero	Ship by express C. O. D.
Opes	Add to our order No. . . .
Opus	Cancel our order No. . . .
Oram	Duplicate our order No. . . .
Orbis	Change our order No. . . . to read,
Oris	Hold our order No. . . . awaiting further instructions.

Otium  
Ovum

Shipping instructions to follow.  
Do not proceed with our order No. . . . until further advised.

### SHIPMENTS

Saltus  
Sancio  
Sano  
Schola

Have you shipped our order No. . . .  
When will you ship our order No. . . .  
Trace shipment of our order No. . . .  
Ship what you can immediately, and let balance follow.

Scindo  
Statin

Advise by telegraph if you cannot ship, in one week, our order No. . . .  
When can you make first shipment, and when balance of our order No. . . .

### PRICES

Palam  
Parco  
Parens  
Pilum  
Posco

At what price can you furnish.  
Quote us by mail.  
Quote us by telegraph.  
Have you in stock.  
How soon could you furnish us with.

## Telegraphic Code—Continued

### ANSWERS

#### GENERAL

- Gades** Your financial standing being unknown to us, we shall send goods C. O. D. unless advised to the contrary.
- Galba** Your financial standing being unknown to us, we shall send goods sight draft attached to bill of lading, unless advised to the contrary.
- Gallia** Your financial standing is unknown to us. Will you kindly send us references?
- Gelu** In reference to your telegram of . . . .
- Gener** In reference to our telegram of . . . .
- Genu** In reference to your letter of . . . .
- Gero** In reference to our letter of . . . .

#### ORDERS

- Ocier** Too late to cancel order.
- Onus** Your order not plain. Send duplicate with full particulars.
- Ordo** Send shipping instructions for your order No. . . .

#### SHIPMENTS

- Saepe** Your order shipped by express.
- Salus** Your order shipped by freight.
- Satis** Will ship your order by express.
- Scriba** Will ship your order by freight.
- Sedes** Partial shipment of your order made.
- Silva** Completing shipment of your order made.
- Solus** Will ship balance of your order.
- Spero** Will advise later regarding balance.
- Stella** First shipment of your order will be made.
- Super** Shall we ship portion of your order at once, or hold for completing shipment?

#### PRICE

- Palus** Cannot give better price.
- Pecus** Cannot accept at price mentioned.
- Pomum** Have none in stock.
- Porta** Can ship at once if advised immediately.
- Probe** Can make partial shipment at once, balance in . . . .

8



## Special Finishes

---

To meet the demand for special finished electrical goods, we carry a stock of the most popular finishes, such as old brass, oxidized copper, polished gilt, etc.

We are prepared to furnish, upon short notice, such other finishes as those mentioned on opposite page.

It is well to submit a sample when placing order for finishes that are not standard.

We believe the fixture house and contractor will value the securing of special finished goods without delay, thereby saving the great expense of refinishing the article after it has been assembled.

## List of Special Finishes

Code Word	Finish No.	Finish	Code Word	Finish No.	Finish
Flowerer	1	Polished Brass.	Floygene	16	Polished Steel.
Flowerage	2	Old Brass.	Fluate	17	Nickel-Plate.
Floweret	3	Old English Bronze.	Fluavil	18	Oxidized Silver
Flowerful	4	Antique or Flemish Brass.	Flucan	19	Butler's Silver.
Flowering	5	Oxidized Brass.	Fluce	20	Wrought Iron.
Flowerless	6	Gilt.	Flecto	21	Bauer Barff.
Flowery	7	English Bronze.	Fleo	22	Acid or Statuary Bronze.
Flowing	8	Satin Gold.	Fletus	23	Lemon Brass.
Flowingly	9	Etruscan Gilt.	Flo	24	Ormolu or French Gilt.
Flowk	10	Gold Bronze.	Florens	25	Burnished Gilt.
Flowkwort	11	Mottled Copper.	Fluctus	26	Polished Silver.
Flown	12	Oxidized Copper.	Flumen	27	Pompeian Bronze.
Flowretry	13	Antique Copper or Japanese Bronze.	Fluo	28	Roman or Dull Gold.
Flowte	14	Polished or Hardware Bronze.	Flagito	29	Gun Metal.
Flox	15	Polished Copper.	Fluvius	30	Sand Blast, Ant. Brass.
			Floreo	31	Sand Blast, Old Brass.

# Hubbell Pull Sockets

with Extension Eyelet

Standard for Pull Sockets and Socket Straps

10

Code Word	List No.	Length	Std. Pkg.	Pkg Weight	Price
Obisisto	1	1 1/2 inch Extension Eyelet		16 lbs.	
Obedio	1 1/2	" " " "		16 "	
Obicio	1 1/4	" " " "		17 "	
Obises	1 1/2	" " " "		17 "	
		Extension 10-11 inch Woven Strap (Standard) with Extension Eyelet (see page 114)	A or B		\$ .12

For separate straps not attached to socket, see page 114  
 For special finishes . . . . . 110

# Hubbell Pull Sockets

with Extension Eyelet

Patented August 11, 1903; May 8, 1906; July 30, 1906; February 17, 1908;  
April 10, 1906

National Electrical Code Standard

Our Extension Eyelet permits the use of the Pull Socket with busks or other fixtures in which the limited space will not admit of the use of our regular Socket.

Unless otherwise specified, sockets with one inch extension will be furnished.

See opposite page for prices



## Hubbell Pull Sockets

Standard Lengths: 100mm on each Socket

Code Word	List No.	Description	Finish	Qty. Pkg.	Pkg. Weight	Price
Obtrude	35000	Edison Pull Socket, 1/2 inch dia.	B	250	64 lbs.	\$ .
Obtrunco	35001	" " " " " "	B	100	25 "	"
Obtruding	35002	T. H. " " " " " "	A	100	24 "	"
Obtrudamus	35003	" " " " " "	A	50	14 "	"
Obtrudant	35004	West " " " " " "	A	50	13 "	"
Obtrivisti	35005	" " " " " "	A	50	14 "	"

sockets furnished with standard 1/2 inch diameter pull-out  
through hole in the bottom

For separate finishes not attached to socket, see page 114  
For special finishes . . . . . " " 116

## Hubbell Pull Sockets

Patented August 11, 1896; May 8, 1900; July 30, 1901;  
February 17, 1903; April 30, 1906

National Electrical Code Standard

The Pull Socket is not only acknowledged to be the most convenient and economical, but also superior.

When the Socket is not within easy reach, it is indispensable.

The chain may be of any length.

See opposite page for prices



No. 35000

# Hubbell Pull Wall Sockets

Standard Industrial Catalogue

14

Case No.	Part No.	Description	Material	Size	Price	Weight	Price
35000	35000	Hubbell Pull Wall Socket	B	1/2"	1.15	1.15	\$ .70
35007	35007	Hubbell Pull Wall Socket	A	3/4"	1.40	1.40	.70
35008	35008	Hubbell Pull Wall Socket	A	1"	1.65	1.65	.70

Hubbell Manufacturing Company, Inc., 1000 Broadway, New York, N.Y.

## Hubbell Pull Wall Sockets

Patented August 11, 1906; May 8, 1900; July 29, 1901; February 17, 1903;  
April 10, 1906

National Electrical Code Standard

The Pull Wall Socket is more desirable than the Key Wall Socket, as it can be placed higher on the wall, yet be within easy reach by means of the chain.

See opposite page for prices



No. 35006

# Hubbell Pull Wall Sockets

with Concealed Brass Base

Standard Lengthed Chain on each Socket 5 inches

16

Code Word	List No.		Schedule	Std. Pkg.	Pkg. Weight
Oblatus	35028	Edison Wall Socket, Concealed Base	B	100	36 lbs.
Oblisti	5029	T. H. " " " "	A	50	17 "
Oblit	5030	West. " " " "	A	50	18 "

sockets furnished with chains over 5 inches  
in length add 1 cent per foot . . . . .

For separate chains not attached to socket, see page 114

For special finishes . . . . . " " 116

# Hubbell Pull Wall Sockets

with Concealed Brass Base

Patented August 11, 1896, May 8, 1900, July 30, 1901, February 18, 1902;  
April 10, 1906

National Electrical Code Standard

This Pull Wall Socket is the same in every respect as that illustrated on page 15, except the porcelain base is furnished with a brass covering.

See opposite page for prices



No. 35028

## Hubbell Pull Rosette Sockets

Standard Length of Chain on each Socket 8 inches

Code Word	List No.		Schedule	Std Pkg.	Pkg. Weight	Price
Obrivimus	35009	Edison Concealed	B	20	15 lbs.	\$1.10
Obtulisset	35010	" Cleat	B	20	15 "	1.10
Obtulisti	35011	" Square Moulding	B	20	15 "	1.10
Flyte	35018	" Combination	A	20	15 "	1.10
Obtundendo	5012	T. H. Concealed	A	20	15 "	1.10
Obtudent	5013	" Cleat	A	20	15 "	1.10
Obtuendum	5014	" Square Moulding	A	20	15 "	1.10
Flytail	5019	" Combination	A	20	15 "	1.10
Laadboon	5015	West. Concealed	A	20	15 "	1.10
Laadbus	5016	" Cleat	A	20	15 "	1.10
Laadgat	5017	" Square Moulding	A	20	15 "	1.10
Flywheel	5020	" Combination	A	20	15 "	1.10

Sockets furnished with brass covers in  
as long as possible to last per lot.

For separate chains not attached to socket, see page 114  
For special finishes " " " " " " 116

## Hubbell Pull Rosette Sockets

Patented August 11, 1896; May 8, 1900; July 30, 1901;  
February 17, 1903; April 10, 1906

National Electrical Code Standard

The Rosette Socket is the same as the Wall Socket described on preceding page, except it is mounted on a K. W. base.

When long chains are required, special adjustment of socket mechanism is necessary, and should be made to order

See opposite page for prices



## Hubbell Pull Angle Wall Sockets

Standard Length of Chain on each Socket 27 inches

Code Wound	List No.	Description	Socket Size	Std. Pkg.	Pkg. Weight
Oldtempo	35021	Hubbell Pull Angle Wall Socket	B	50	21 lbs.
Oldting	5022	L. H. " " " " " "	A	50	20 "
Oldrecto	5023	West " " " " " "	A	50	21 "

See page 114 for details of chain and socket.

For separate chains not attached to socket, see page 114  
 For special finishes " " 116

## Hubbell Pull Angle Wall Socket

Patented August 11, 1926; May 8, 1960, July 10, 1961  
February 17, 1963, April 10, 1966

National Electrical Code Standard

The Angle Wall Socket is intended for use in place of the Wall Socket, where it is desirable to have the lamp stand at an angle.

See opposite page for prices



No. 35021

# Hubbell Pull Socket

With Lamp Base Attachment

Standard Length of Chain on each Socket 5 inches

22

Code Word	List No.		Socket Size	Socket Type	Wgt. Weight	Price
Obtego	5024	Edison Pull Socket with Lamp Base Attachment	F	50	13 lbs.	\$ .70
Obturpo	5025	T. H. " " " " " "	F	50	14 "	.70
Obturbo	5026	West. " " " " " "	F	50	13 "	.70
Sockets furnished with chains over 5 inches in length add to list per foot . . . . .						.10

For separate chains not attached to socket, see page 114

For special finishes . . . . . " " 117

# Hubbell Pull Socket

with Lamp Base Attachment

Patented August 11, 1896; May 8, 1900; July 30, 1901,  
February 17, 1903; April 10, 1906

National Electrical Code Standard

The Pull Socket with Lamp Base Attachment can be attached  
to an ordinary Key Socket or Receptacle.

Tools or the services of an electrician are not required.

See opposite page for prices



No. 5024

# Hubbell Candelabra Pull Socket

Standard Catalog of Electrical and Electronic Equipment

24

Code	Part No.	Description	Qty	Unit Price	Total Price
0000	5455	Hubbell Candelabra Pull Socket, M	1	5.00	5.00

For specific details, see page 20

## Hubbell Candelabra Pull Socket

Patented August 11, 1896; May 8, 1900; July 30, 1901.  
February 17, 1903; April 10, 1907.

National Electrical Code Standard

The same mechanism employed in our regular Socket is embodied in the Hubbell Candelabra Pull Socket.

It is the first device in the Candelabra line in which there is a Socket and Switch combined.

This Candelabra Socket has met with instant favor, and has been the means of bringing out new ideas in ornamental fixture work among the fixture manufacturers, for whom it was specially designed.



No. 5455

See opposite page for prices

## Hubbell Candelabra Extension

26

Code Wood	List No.		Set Cl.	Set Pkg.	Pkg. Weight	Price
Edo	5481	Candelabra Extension . . .	M	50	1 lb.	\$ .35
Enim	5482	"    Collar . . . . .	M	50	1 "	.05
Etsi	5483	"    Candle . . . . .	M	50	2 "	.15

For special finish collar, see page 117

## Hubbell Candelabra Extension

National Electrical Code Standard

The Candelabra Extension—an adjunct to our Candelabra Socket—may be used on any device fitted with a candelabra base.

Its terminals are connected by a brass tube, heavily insulated, making the rigidity so essential in candelabra work.

This extension is designed to take a four-inch candle, and is sold complete with Socket, or separately, as listed.

The accompanying cut illustrates the Extension, complete with Candelabra Socket.

See opposite page for prices



Side Wall Bracket showing use  
of Candelabra Extension



Candelabra  
Extension  
No. 5481



Candle  
Socket  
No. 5482



Candle  
Socket  
No. 5482

## Hubbell Pull Switch

Standard Length of Chain on each Switch 8 inches

28

Code Word	List No.	Size	Series	Plg. Weight	Price
Obtusio	5027	5 Ampere Pull Switch	F	14 lbs.	\$ .60
		Switch furnished with lead over steel on longitudinal for set, per foot			10

For separate chains not attached to switch, see page 114

For special finishes . . . . . " " 117

## Hubbell Pull Switch

Patented August 11, 1876; May 8, 1880; July 1, 1881; February 1, 1882;  
April 22, 1883.

The Pull Switch is a handy device for a variety of purposes, as it can be placed at any height, yet easily operated by means of the chain, which may be of any desired length.

The same mechanical features employed in our Socket are embodied in this Switch.

See opposite page for prices.



No. 5027

# Hubbell Incandescent Light Attachment for Oil Lamps

## "The Dazzlite"

30

Code Word	List No.	Description	Finish	Size Inch	Weight Oz.	Price
Dilator	5403	Ed. Dazzlite, with Plug and Silk Cord	F	1 1/2	13	\$2.00
Duratum	5404	T. H. Dazzlite	F	1 1/2	13	2.00
Ductus	5405	West	F	1 1/2	13	2.00
Decem	5529	Ed. Dazzlite, without Cord or Plug	F	1 1/2	10	1.50
Decet	5530	T. H. Dazzlite	F	1 1/2	10	1.50
Decus	5531	West	F	1 1/2	10	1.50

For special finishes see page 117.

## Hubbell Incandescent Light Attachment for Oil Lamps

"The Dazzlite"

Manufactured under the Hirschmuller patent. December 27, 1902

The Dazzlite is a practical and inexpensive attachment for converting an oil lamp into an electric.

The base of the Socket (as per illustration) is easily and quickly fitted to any lamp with a common burner, be it either flat wick or central draft.

It does not injure the lamp in any way, and requires no tools to attach or detach.

When sold, complete, same is fitted with 7 feet of silk parallel lamp cord and our regular plug.

See opposite page for prices



No. 5401

## Hubbell Edison Adapters

Code Word	List No.	Description	Quantity	Weight	Price Net
Addo	5472	Edison Adapter for T. H. Sockets 200 per box	500-1000	18 lbs	\$18.00
"	5472	Edison Adapter for T. H. Sockets 200 per box	1000-2000	36 lbs	17.00
"	5472	Edison Adapter for T. H. Sockets 200 per box	3000-5000	54 lbs	16.00
"	5472	Edison Adapter for T. H. Sockets Bulk	5000	63 lbs	15.00
"	5488	Edison Adapter for West. Sockets 200 per box	500-1000	21 lbs	13.00
"	5488	Edison Adapter for West. Sockets 200 per box	1000-2000	42 lbs	12.00
"	5488	Edison Adapter for West. Sockets 200 per box	3000-5000	63 lbs	11.00
"	5488	Edison Adapter for West. Sockets Bulk	5000	75 lbs	10.00

## Hubbell Edison Adapter

Patented April 10, 1906

The Hubbell Edison Adapter, when attached, gives a T. H. Socket every appearance of a straight Edison, and can be detected only upon close inspection.

They act as a permanent connection, yet can be removed, if desired.

See opposite page for prices



No. 5472

## Hubbell Attachment Plug

Code Word	List No.		Schedule	Std Pkg	Pkg Weight	Price
Paco	5406	Edison Attachment Plug, Porcelain Cap	H	100	28 lbs.	\$ .30
Palpo	5407	T. H. " " " "	H	100	31 "	.30
Pandor	5408	Edison " " Composition "	H	100	26 "	.35
Pector	5409	T. H. " " " "	H	100	30 "	.35
Prendo	5410	Edison " " Brass Covered "	H	100	29 "	.40
Pulvis	5411	T. H. " " " "	H	100	33 "	.40
		Plugs furnished with rated porcelain caps, green and yellow, add to list				.10

For special finished brass covered caps, see page 117  
 For separate caps, see page 117

## Hubbell Attachment Plug

All Porcelain Fuseless; 300 Volts, 3 Ampere

Patented August 16, 1892; November 8, 1904

National Electrical Code Standard

This Plug is of the separable type and is made up of a cap and base, the former being interchangeable but one base is required for a variety of purposes.

The separate cap obviates all twisting of the cord which was the main objection in the old style plug.

The contact is made on the knife switch principle, and the terminals are enclosed in separate cells

Finished in porcelain, hard rubber or brass covered caps.

See opposite page for prices



No. 5406

## Hubbell Composition Attachment Plug

Code Word	List No.	Description	Subst.	Std. Pkg.	Plg. Weight	Price
Padus	5467	Edison Composition Attachment Plug	H	100	23 lbs.	\$ .50
Pagas	5489	T. H. Composition Attachment Plug	H	100	23 "	.50
Puella	5468	Edison Composition Attachment Plug Brass Covered Cap	H	100	23 "	.60
Pando	5490	T. H. Composition Attachment Plug Brass Covered Cap	H	100	23 "	.60

36

For special finished brass covered caps see page 117

For separate caps . . . . . # 7004

## Hubbell Composition Attachment Plug

Patented August 16, 1922. November 8, 1921.

This Plug is identical with our No. 5406, except that it is made in composition instead of porcelain.

The plug is practically non-destructible and is specially adapted for use in mills, or factories, in fact any place where a device of this kind is subjected to hard usage.

See opposite page for prices.



37

No. 5407

# Hubbell Attachment Plug

for Reenforced Cord

Code Word	List No		Sched. use	Std. Pkg	Plug Weight	Price
Par	5491	Edison Plug for Reenforced Cord, Porcelain	H	50	13 lbs.	\$ .60
Paris	5492	T. H. Plug for Reenforced Cord, Porcelain	H	50	17 "	.60
Parcus	5493	Edison Plug for Reenforced Cord, Composition	H	50	16 "	.80
Parentio	5494	T. H. Plug for Reenforced Cord, Composition	H	50	18 "	.80

For special finished brass covered caps, see page 117

# Hubbell Attachment Plug

for Reinforced Cord

Patented August 10, 1902; November 8, 1904

National Electrical Code Standard

This Plug is practically the same as our No. 5410, excepting the brass covered cap is fitted with a bushing to take reinforced cord.

See opposite page for prices



No. 5413

# Hubbell Chandelier Plug

without Casing

40

Code Word	List No.		Sched. Use	Std. Pkg.	Pkg. Weight	Price
Pluto	5323	Chandelier Plug, Porcelain Cap . . .	H	20	6 lbs.	\$ .45
Plus	5324	" " Composition Cap . . .	H	20	6 "	.50
Positus	5422	" " Brass Covered Cap . . .	H	20	6 "	.55

For special finish brass covered caps, see page 117

For separate caps . . . . . " " 72-24

# Hubbell Chandelier Plug

without Casing

Patented August 16, 1892; November 8, 1904

National Electrical Code Standard

The Chandelier Plug is a modification of our regular Attachment Plug, and is intended to be used in a ball or sphere at the bottom of the chandelier or cluster.

It is particularly desirable on a chandelier for a reading lamp or fan, where the current can be tapped without displacing the lamp. The base is interchangeable with the regular caps.

See opposite page for prices



No. 5323

# Hubbell Chandelier Plug

with Brass Casing

42

Code Name	List No.	Description	Unit	Net Price	Pkg. Weight	Price
Plugs	5325	Hubbell Plug, Brass Case	H	...	6 lbs	\$ 70
Plugs	5326	" " " "	H	...	...	85
Plugs	5423	" " Brass Case	H	...	...	80

Hubbell Electric Manufacturing Co., Lowell, Mass., U.S.A.  
 For separate prices, see page 42

# Hubbell Chandelier Plug

with Brass Casing

Patented August 16, 1907; November 8, 1909

National Electrical Code Standard

This Plug is the same in every respect as the Plug shown on page 41, except that it is furnished with a brass casing. Caps are interchangeable with all plugs.

See opposite page for prices



No. 5423



## Hubbell Chandelier Plug

with  $\frac{1}{8}$  Inch Socket Nipple

Patented August 27, 1902, November 8, 1904

National Electrical Code Standard

This Plug is similar to that illustrated on page 43, excepting the top or base is fitted with a  $\frac{1}{8}$  inch socket nipple.

This arrangement is quite desirable on a variety of fixture work, and practically completes a system of plugs for chandeliers.

See opposite page for prices



No. 3497



# Hubbell Flush Attachment Plug

without Cover

Patented November 5, 1929; January 27, 1930.

National Electrical Code Standard

This Flush Plug does away with the lid when not in use, and still presents a flush surface having at the same time no electrical contacts exposed.

When connected, the cap only projects one half inch above the surface of the plug, doing away with the unsightly lid and far projecting plug as found in other styles.

The cap to our regular plug, now so universally adopted, can be used on this flush plug, permitting an interchangeable connection from a baseboard outlet, which arrangement cannot be had when any other flush receptacle is used.

See opposite page for prices.



No. 5115

## Hubbell Flush Attachment Plug

with Case

Hubbell No.	Hubbell No.	Description	Hubbell No.	Hubbell No.	Hubbell No.	Hubbell No.
1000	1000	Hubbell Flush Attachment Plug with Case	1000	1000	1000	1000
1001	1001	Hubbell Flush Attachment Plug with Case	1001	1001	1001	1001
1002	1002	Hubbell Flush Attachment Plug with Case	1002	1002	1002	1002
1003	1003	Hubbell Flush Attachment Plug with Case	1003	1003	1003	1003
1004	1004	Hubbell Flush Attachment Plug with Case	1004	1004	1004	1004
1005	1005	Hubbell Flush Attachment Plug with Case	1005	1005	1005	1005
1006	1006	Hubbell Flush Attachment Plug with Case	1006	1006	1006	1006
1007	1007	Hubbell Flush Attachment Plug with Case	1007	1007	1007	1007
1008	1008	Hubbell Flush Attachment Plug with Case	1008	1008	1008	1008
1009	1009	Hubbell Flush Attachment Plug with Case	1009	1009	1009	1009
1010	1010	Hubbell Flush Attachment Plug with Case	1010	1010	1010	1010
1011	1011	Hubbell Flush Attachment Plug with Case	1011	1011	1011	1011
1012	1012	Hubbell Flush Attachment Plug with Case	1012	1012	1012	1012
1013	1013	Hubbell Flush Attachment Plug with Case	1013	1013	1013	1013
1014	1014	Hubbell Flush Attachment Plug with Case	1014	1014	1014	1014
1015	1015	Hubbell Flush Attachment Plug with Case	1015	1015	1015	1015
1016	1016	Hubbell Flush Attachment Plug with Case	1016	1016	1016	1016
1017	1017	Hubbell Flush Attachment Plug with Case	1017	1017	1017	1017
1018	1018	Hubbell Flush Attachment Plug with Case	1018	1018	1018	1018
1019	1019	Hubbell Flush Attachment Plug with Case	1019	1019	1019	1019
1020	1020	Hubbell Flush Attachment Plug with Case	1020	1020	1020	1020

# Hubbell Flush Attachment Plug

with Cover

Patented November 8, 1904; June 27, 1905

National Electrical Code Standard

The mechanical features of this plug are identical with those illustrated on page 47, except the plate is fitted with a double hinge and shows no holes or openings.

When in use, it swings back on the plate, and, the cap setting in a recess, is practically flush with the surface.

See opposite page for prices



No. 5501

## Hubbell Floor Receptacle

50

Code Word	List No.		Sched- ule	Std. Pkg.	Pkg. Weight	Price
Pedes	5506	Floor Receptacle, Porcelain Cap . .	H	25	12 lbs.	\$1.15
Pejar	5507	" " Composition Cap . .	H	25	11 "	1.20
Pendeo	5508	" " Brass Covered Cap	H	25	15 "	1.25

For special finished brass covered caps, see page 117

" " " plates, " " 112

" separate caps, " " 72-74

## Hubbell Floor Receptacle

Patented November 8, 1904; June 27, 1905

National Electrical Code Standard

The same principle that is used in our regular plug is embodied in this device.

Plate measures  $2\frac{1}{2}$  inch in diameter and can be used in side wall work as well as a floor receptacle.

See opposite page for prices



No. 5500

## Hubbell Multiple Attachment Plug

with Lamp Base Attachment—for Three Plugs

52

Code Word	List No.		Sched. ult.	Std. Pkg.	Pkg. Weight	Price
Placare	5327	Ed. Multiple Attachment Plug—Lamp Base—three Plugs . . . . .	H	10	10 lbs.	\$1.50
Placide	5328	T. H. Multiple Attachment Plug—Lamp Base—three Plugs . . . . .	H	10	10 "	1.50

For separate caps. see pages 72-74

# Hubbell Multiple Attachment Plug

with Lamp Base Attachment  
for three Plugs

Patented August 15, 1922; November 23, 1921

All Porcelain Fuseless

This device is for use in a receptacle to tap the current for three different purposes, and not intended for use in a Key Socket. Caps are interchangeable with all Plugs.

See opposite page for prices.



No. 5327 — 1/2 Size

## Hubbell Multiple Attachment Plug

with Lamp Base Attachment—for Two Plugs and One Lamp

Code Word	List No		Sched. Use	Std. Pkg.	Pkg. Weight	Price
Pleo	5331	Ed. Multiple Plug—Lamp Base—two Plugs, one Lamp . . . . .	H	10	11 lbs.	\$1.50
Planare	5332	T. H. Multiple Plug—Lamp Base—two Plugs—one Lamp . . . . .	H	10	11 "	1.50

For separate caps . . . . see pages 70-71  
 " " receptacle . . . . " " 70

54

# Hubbell Multiple Attachment Plug

with Lamp Base Attachment

for two Plugs and one Lamp

Patented August 16, 1927; November 2, 1928

All Porcelain Fuseless

This device serves the same purpose as the one described on preceding page, except it is fitted with a receptacle for holding a lamp.

Caps are interchangeable with all Plugs.

See opposite page for prices.



## Hubbell Multiple Attachment Plug

for Chapman Receptacle—Fitted for Three Plugs

56

Code Word	List No.	Description	Serial Size	Volts	Plug Weight	Price
Primum	5335	Multiple Plug for Chapman Receptacle —three Plugs . . . . .	H	115	10 lbs.	\$1.50

For separate caps, see pages 72-74

# Hubbell Multiple Attachment Plug for Chapman Receptacle

fitted for three Plugs

Patented August 16, 1902; November 29, 1901

## All Porcelain Fuseless

This Plug is the same as the other Multiple Plugs illustrated on preceding pages, except it is designed to fit a Chapman Receptacle.

The device avoids fastening the cords together as is necessary with the ordinary Chapman Plug, when used for more than one purpose.

Caps are interchangeable with all Plugs.

See opposite page for prices



No. 5335 — 1/8 Size

## Hubbell Current Tap

Code Word	List No.		Sched- ule	Std Pkg	Pkg. Weight	Price
Perago	5454	Edison Current Tap Multiple . . . . .	H	50	20 lbs.	\$ .50
Perduco	5509	T. H. " " " . . . . .	H	50	22 "	.50
Perco	5510	Edison " " Series . . . . .	H	50	20 "	.50
Perfero	5511	T. H. " " " . . . . .	H	50	22 "	.50

## Hubbell Current Tap

Patented August 16, 1922; November 8, 1927

National Electrical Code Standard

This Current Tap is all porcelain: simple, compact, and reasonable in price.

The electrical contacts are enclosed, and there are no exposed binding screws.

It is made both in series and multiple.

See opposite page for prices



No. 5454

## Hubbell Side Wall Attachment Plug

Code Word	List No.		Sched- ule	Std Pkg.	Pkg Weight	Price
Pellio	5426	Side Wall Plug, Porcelain Cap Concealed	H	50	20 lbs.	\$ .40
Placas	5427	" " " Composition " "	H	50	10 "	.45
Pensus	5428	" " " Brass Covered Cap "	H	50	21 "	.50
Punio	5512	" " " Porcelain Cap Cleat . . .	H	50	21 "	.40
Puto	5513	" " " Composition Cap Cleat . .	H	50	20 "	.45
Pugio	5514	" " " Brass Covered " " . .	H	50	22 "	.50

For special finished brass covered caps, see page 417

For separate caps, " " 72-74

# Hubbell Side Wall Attachment Plug

All Porcelain Fuseless

Patented August 19, 1912. November 5, 1913.

National Electrical Code Standard

This Plug is to be used, chiefly, for side wall work, and is designed for both cleat and concealed wiring.

It dispenses with both Socket and Receptacle, and is especially desirable in an orchestra pit, and for other stage effects, also where ever it is convenient to use an extension cord.

Caps are interchangeable with all plugs.

See opposite page for prices



No. 5129

## Hubbell Angle Attachment Plug

62

Code Word	List No.		Schedule	Std. Pkg.	Pkg. Weight	Price
Peritus	5515	Angle Plug without Base . . . . .	H	20	6 lbs.	\$ .50
Peto	5516	" " with Concealed Base . . . . .	H	20	10 "	.80
Piget	5517	" " " Cleat " . . . . .	H	20	11 "	.80

## Hubbell Angle Attachment Plug

Patented August 16, 1926. No. 1,597,875.

National Electrical Contractors Association

The Angle Attachment Plug is designed for use in both show case and window lighting. The grommet with which it can be connected or disconnected, and its unique provision insure perfect and most convenient way to change the number of lights without causing an unsightly appearance.

Made for both cleat and concealed wiring.

See opposite page for prices



No. 5517

## Hubbell Floor Plug

64

Code Wood	List No.		Hubbell No.	Std Pkg.	Pkg. Weight	Price
Pirato	5469	Floor Plug Potentiometer Cap.	H	50	12 lbs	\$ .60
Plus	5470	" " Carbon Resistor Cap.	H	50	18 "	.65
Provision	5471	" " Brass Coated Cap.	H	50	20 "	.70

For special finished brass coated caps, see page 117

\* separate caps . . . . . 2004

## Hubbell Floor Plug

Patented August 16, 1922, November 8, 1924

National Electrical Code Standard

This Floor Plug is designed for use with waterproof flush floor boxes.

It is made similar to our No. 5426 Side Wall Plug, and is the smallest and most compact plug for this purpose.

The cap to our regular plug can be used with same permitting of an interchangeable connection.



No. 5469

65

See opposite page for prices

## Hubbell Theatre Plug

66

Code Word	List No.		Sched-ule	Std Pkg	Pkg. Weight	Price
Poena	5518	Theatre Plug . . . . .	H	30	7 lbs.	\$ .60
Pompa	5519	" " Brass Covered Cap . . . . .	H	30	8 "	.70

For special finish brass covered caps, see page 117  
 For separate caps . . . . . " " 72-74

## Hubbell Theatre Plug

Patented August 16, 1907; November 8, 1901

This Theatre Plug is designed principally for stage lighting where it is desired to carry an extension cord for various scenic effects.

It is the most practicable Plug for this purpose as it provides a means of conveniently carrying the current to the desired point, and quickly connecting and disconnecting same. The separable and interchangeable cap are features that cannot be had with other styles.

This Plug is made in composition only, making it practically indestructible.



No. 5518

See opposite page for prices

## Hubbell Weatherproof Plug

68

Code Word	List No.		Sched. size	Std. Plug	Pkg. Weight	Price
Pono	5520	Weatherproof Plug, Porcelain Cap	H	30	15 lbs.	\$1.00
Propior	5521	" " Composition Cap	H	30	14 "	1.05
Propter	5522	" " Brass Covered Cap	H	30	16 "	1.10

For special finished brass covered caps, see page 117

For separate caps, . . . . . " " 72-74

# Hubbell Weatherproof Plug

Patented August 16, 1902; November 9, 1904

National Electrical Code Standard

This Weatherproof Plug is designed for out door work, especially for electric signs.

The interchangeable cap feature, and the quickness with which it can be disconnected and changed are strong points in its favor.

See opposite page for prices



69

## Hubbell Receptacle for Attachment Plug

Code Word	List No.		Sched-ule	Std. Pkg.	Pkg. Weight	Price
Plangor	5424	Edison Receptacle for Attachment Plug	H	30	4 lbs.	\$ .17
Pinetum	5425	T. H. " " " "	H	30	3 "	.17

## Hubbell Receptacle for Attachment Plug

This device was originally designed for our Multiple Plug, which is made for two Plugs and one lamp, but it can be used in connection with all our knife-blade contact Plugs.



No. 5424

See opposite page for prices

## Hubbell Separate Caps for Plugs

### Fuseless

Code Word	Part No.	Description	Subst. Mat.	Std. Pkgs.	Pkg. Weight	Price
72 Porcelain	5419	Porcelain Cap	H	10	3 lbs.	\$ .15
Porcelain	5420	Compositional Cap	H	10	3 "	.20
Porcelain	5421	Brass Covered Cap	H	30	3 "	.15
Porcelain	5523	Compositional Cap	H	30	3 "	.30

For general information concerning this and other Hubbell products, see page 117.

## Hubbell Separate Caps for Plugs

Fuseless



No. 5410



No. 5420

Plug Caps (as illustrated) are interchangeable  
with our entire line of plugs.

See opposite page for prices.



No. 5401

## Hubbell Separate Caps for Plugs

### Fusible

Code Word	List No.		Sched. ulc.	Std. Pkg.	Pkg. Weight	Price
Past	5524	Porcelain Cap . . . . .	H	30	3 lbs.	\$ .20
Postulo	5525	Composition Cap . . . . .	H	30	4 "	.25
Potens	5526	Brass Covered Cap, Porcelain . .	H	30	3 "	.30
Potior	5527	" " " Composition . . . . .	H	30	3 "	.35
		All plugs fitted with fusible cap, add to list				.05

For special finished brass covered cap, see page 117

## Hubbell Separate Caps for Plugs

### Fusible

This Fusible Cap is the same as our regular cap, excepting it is made in the fusible type, and designed to convert our regular fuseless plug into fusible.

Furnished in both porcelain and brass covered.



No. 5544

75

See opposite page for prices

## Hubbell Shade Holder

Code Word	List No.		Schedule	Std. Pkg.	Pkg. Weight	Price Gro.
Spiritus	5339	2 1/4 inch Shade Holder, per gross .	D	5 gro.	38 lbs.	\$9.00
Status	5340	3 1/4 " " " " " " .	D	1 " "	12 " "	18.00

For special finishes, see page 117

## Hubbell Shade Holder

Patented July 25, 1905; February 28, 1906

This Holder is made in two parts, consisting of a split screw collar and holder.

It can be attached to any standard Socket without the use of tools, and is as firmly held in place as if it were a part of the shell itself, holding the shade or globe in a direct and true center, and its rigidity prevents any ill use or otherwise the shade from being sprung from a correct position.

There are no projecting screws or lugs to present an unsightly appearance.

See opposite page for prices



No. 5179

## Hubbell Locking Spring Shade Holder

78

Grade	List No.		School no.	Set Pkg.	Pkg Weight	Price Gtn.
Wood						
Surgo	5528	2 1/4 inch Locking Spring Shade Holder . . . . .	D	5 gro.	40 lbs.	\$12.50

For special finishes, see page 117

## Hubbell Locking Spring Shade Holder

Patented July 28, 1903; February 24, 1904; June 27, 1905

The method of fastening this holder to the socket shell is the same as that employed in our No. 5339, but the holding of the shade by a locking spring, doing away with the globe holder screws is an entirely new principle.

It permits of a more rapid adjustment than is obtained in the ordinary holder, at the same time holding the shade firmly and in a correct position.

It is specially adapted for railway or marine use, as the shade cannot jar loose, and is more ornamental for all purposes.

See opposite page for prices



No. 5528

## Hubbell Half Reflector

Code Word	List No.		Sched-ule	Std. Pkg.	Pkg. Weight	Price Doz.
Sagino	5429	Half Tin Reflector . . . . .	C	5 doz.	8 lbs.	\$3.25
Scalbre	5430	" Aluminum Reflector . . . . .	C	5 "	8 "	5.50
Sustuli	5532	" Brass " . . . . .	C	5 "	8 "	9.00

For special finished brass reflectors, see page 117

## Hubbell Half Reflector

Patented July 25, 1903

This Reflector is attached to the socket by means of a screw collar the same as used on our shade holder.

This insures a strength and rigidity to the reflector that cannot be had with other attachments.

The reflector cannot get out of line, requires no tools to attach, yet can be removed in an instant



No. 5429

See opposite page for prices

## Hubbell Flat Tin and Aluminum Shades

Code Word	List No.		Sched- ule	Std. Pkg.	Pkg. Weight		Price
Sectura	5431	8 inch Flat Tin Shade . . . . .	C	5 doz.	16 lbs.	Doz	\$2.50
Sibilio	5432	10 " " " " . . . . .	C	5 "	21 "	"	3.00
Signas	5433	12 " " " " . . . . .	C	5 "	41 "	"	4.40
Sulvia	5456	14 " " " " . . . . .	C	5 "	48 "	"	5.60
Salvus	5457	16 " " " " . . . . .	C	5 "	64 "	"	6.90
Superbe	5476	18 " " " " . . . . .	C	5 "	76 "	"	8.50
Simulo	5434	8 " Flat Aluminum Shade . . . . .	C	1 "	3 "	Each	.85
Solator	5435	10 " " " " . . . . .	C	1 "	4 "	"	.95
Specula	5436	12 " " " " . . . . .	C	1 "	8 "	"	1.20
Superus	5458	14 " " " " . . . . .	C	1 "	10 "	"	1.50
Supremus	5459	16 " " " " . . . . .	C	1 "	13 "	"	1.90

## Hubbell Flat Tin and Aluminum Shades

Patented July 28, 1908.

A combined Shade and Shade Holder is the principle of our shades.

They cannot be put on in any other than a true position, therefore, hold the lamp in an exact center, where it is secured fast no matter how much abuse it receives. This secures an equal and full distribution of light which is a strong feature from an economical viewpoint.

No screws or shade holders are required in attaching to the socket, therefore, a considerable saving in the cost of installation is obtained.

Made in both tin and aluminum.

See opposite page for prices



No. 5415

## Hubbell Deep Cone Tin and Aluminum Shades

Code Word	List No.		Sched- ule	Std. Pkg.	Pkg Weight		Price
Stultus	5440	8 inch Cone Tin Shade	C	5 doz	17 lbs.	100	\$3.50
Stupare	5441	10 " " " " " "	C	5 " "	28 " "	"	3.80
Sternere	5442	12 " " " " " "	C	5 " "	40 " "	"	5.60
Seelus	5473	8 " Cone Aluminum Shade	C	1 " "	4 " "	Each	.85
Seco	5474	10 " " " " " "	C	1 " "	6 " "	"	1.25
Scipio	5475	12 " " " " " "	C	1 " "	8 " "	"	1.70

## Hubbell Deep Cone Tin and Aluminum Shade

Patented July 26, 1907

The attachment in this Cone Shade is the same as that used in our other styles.

We strongly recommend same for use in mills or factories, as the shade is held so rigidly, that the lamp is fully protected, thereby the use of a guard can be dispensed with.

Made in both tin and aluminum

See opposite page for prices



No. 5141

## Hubbell Parabola Reflector

Code Word	List No.		Sched- ule	Std. Pkg.	Pkg. Weight	Price Doz.
Scripsi	5460	6½ inch Parabola Polished, for 16 or 32 C. P. Lamps . . . . .	C	5 doz.	15 lbs.	\$9.00
Serio	5461	6½ inch Parabola Frosted, for 16 or 32 C. P. Lamps . . . . .	C	5 "	15 "	8.25
Sector	5477	5½ inch Parabola Polished, for 16 C. P. Lamps only . . . . .	C	5 "	12 "	8.75
Sepens	5478	5½ inch Parabola Frosted, for 16 C. P. Lamps only . . . . .	C	5 "	12 "	8.00


## Hubbell Parabola Reflector

Patented July 28, 1903

The majority of Parabola Reflectors are attached to the socket shell by means of a spring holder, which is insecure when compared with our attachment.

Our screw collar holds the reflector rigid, and in a correct and permanent position.

Made in aluminum only, both treated and polished.



87

See opposite page for prices.

## Hubbell Shallow Cone Tin Shade

Code Word	List No.		Schedule	Std. Pkg.	Pkg. Weight	Price Doz.
Sella	5462	8 inch Shallow Cone Tin Shade . .	C	5 doz.	16 lbs.	\$2.90
Semel	5463	10 " " " " " " " " . .	C	5 " "	21 " "	3.35
Semper	5464	12 " " " " " " " " . .	C	5 " "	41 " "	4.70
Senatus	5465	14 " " " " " " " " . .	C	5 " "	48 " "	6.00
Senex	5466	16 " " " " " " " " . .	C	5 " "	64 " "	7.30

## Hubbell Shallow Cone Tin Shade

Patented July 28, 1903

The Shallow Cone Shade is a modification of our flat tin, it being a trifle more concave.

This style is used when it is desired to secure a wider range of light than can be obtained in our cone shade.

Made in tin only.

See opposite page for prices



No. 5403

## Hubbell Enameled Steel Shade

Code Word	List No.		Sched- ule	Std. Pkg.	Pkg. Weight	Price Dov.
Senior	5533	10 inch Flat Enameled Steel Shade	C	1 doz.	8 lbs.	\$4.00

## Hubbell Enameled Steel Shade

Patented July 25, 1906

This Enameled Shade is practically a steel shade covered with a heavy coating of white enamel making a light and indestructible shade that has every advantage of the porcelain, without the breakage.

Made in 10 inch flat only

See opposite page for prices



No. 233

## Hubbell Special Aluminum Shade

92

Size	Weight	Material	Finish	Price	Notes
1/2"	1.00	Aluminum	Polished	1.00	
3/4"	1.50	Aluminum	Polished	1.50	
1"	2.00	Aluminum	Polished	2.00	
1 1/4"	3.00	Aluminum	Polished	3.00	
1 1/2"	4.00	Aluminum	Polished	4.00	
2"	6.00	Aluminum	Polished	6.00	
2 1/2"	8.00	Aluminum	Polished	8.00	
3"	10.00	Aluminum	Polished	10.00	
3 1/2"	12.00	Aluminum	Polished	12.00	
4"	15.00	Aluminum	Polished	15.00	
4 1/2"	18.00	Aluminum	Polished	18.00	
5"	22.00	Aluminum	Polished	22.00	
5 1/2"	26.00	Aluminum	Polished	26.00	
6"	30.00	Aluminum	Polished	30.00	
6 1/2"	35.00	Aluminum	Polished	35.00	
7"	40.00	Aluminum	Polished	40.00	
7 1/2"	45.00	Aluminum	Polished	45.00	
8"	50.00	Aluminum	Polished	50.00	
8 1/2"	55.00	Aluminum	Polished	55.00	
9"	60.00	Aluminum	Polished	60.00	
9 1/2"	65.00	Aluminum	Polished	65.00	
10"	70.00	Aluminum	Polished	70.00	

# Hubbell Special Aluminum Shade

Patented July 28, 1903

This special Aluminum Shade is of oval design, and in view of its ornamental appearance is more desirable than the regular Cone.

Made in 7 1/2 inch only.

See opposite page for prices



No. 5479

## Hubbell Lamp Guard

Code Word	List No.		Sched-ule	Std. Pkg.	Pkg. Weight	Price Doz.
Latus	5485	16 C. P. Lamp Guard . . . . .	E	1 gro.	30 lbs.	\$3.50
Lando	5487	32 " " " . . . . .	E	1 " "	30 "	3.75

## Hubbell Lamp Guard

Patented July 25, 1905.

This Lamp Guard is simple, rigid, durable, and quickly attached.

Fits any standard socket shell, cannot become loose, and does not depend on lamp bulb for support.

See opposite page for prices



# Hubbell Lamp Guard

for Use with Hubbell Shades

96

Code Word	List No.		Schedule	Std. Pkg.	Pkg. Weight	Price Per
Legion	5534	16 C. P. Lamp Guard . . . . .	E	1 gro	30 lbs.	\$3.50
Legion	5536	32 " " " . . . . .	E	1 "	36 "	3.75

# Hubbell Lamp Guard

for Use with Hubbell Shades

Patented July 28, 1906.

This Guard is designed to be used in connection with our shades, as per illustration.

It is practically the same as that shown on previous page, excepting the threaded neck is made sufficiently large to engage the threaded neck of the shade.

Price covers cost of guard only



## Hubbell Standard Pull Clusters

Code Word	List No.						Sched- ule	Std. Pkg.	Pkg. Weight	Price	
Cado	5135	2	Light Standard Pull Cluster, Ed. Base					F	10	15 lbs.	\$3.25
Caecio	5136	3	"	"	"	"	F	10	18 "	4.10	
Calcar	5137	4	"	"	"	"	F	10	20 "	5.00	
Calcen	5138	5	"	"	"	"	F	10	23 "	5.95	
Calco	5139	6	"	"	"	"	F	10	25 "	6.85	
Caldor	5140	7	"	"	"	TH	F	10	15 "	3.25	
Caleo	5141	8	"	"	"	"	F	10	18 "	4.10	
Caligo	5142	9	"	"	"	"	F	10	20 "	5.00	
Calix	5143	10	"	"	"	"	F	10	23 "	5.95	
Callens	5144	11	"	"	"	"	F	10	25 "	6.85	
Calo	5145	12	"	"	"	West.	F	10	15 "	3.25	
Calor	5146	13	"	"	"	"	F	10	18 "	4.10	
Calva	5147	14	"	"	"	"	F	10	20 "	5.00	
Calvor	5148	15	"	"	"	"	F	10	23 "	5.95	
Callis	5149	16	"	"	"	"	F	10	25 "	6.85	

If furnished with chain-over-y-tee of length, add to list, per foot . . . . .1.10

If furnished with sockets wired, add to list, per light . . . . .2.20

If ordered with steel, brass, and chrome, see pages 105, 106, 112. For special finishes, see page 118.

## Hubbell Standard Pull Clusters

Patented May 27, 1902; July 28, 1903

The principal feature of our Cluster is the separate control of each light by a pendant chain connecting our Pull Sockets to a common center. By a straight pull all of the lights may be turned on or off. By pulling the chain to one side anyone or more of the lights may be operated.

Another distinctive feature is the fastening of the Socket cap to the cluster center by riveting, thereby lessening the danger of the socket becoming loose or unfastened. Not the least of the advantages of this Cluster is the small expense of equipping a building with a convenient means of controlling the lights without the use of extra wiring and wall switches.

Complete with shade holder, chain and acorn, not wired. Standard length of chain measured from bottom of cluster, 3 feet. Cluster furnished for  $\frac{3}{8}$  inch stem unless otherwise specified.

For prices see opposite page



No. 5130

## Hubbell Separable Pull Clusters

Code Word	List No.						Sched. File	Std. Pkg.	Pkg. Weight	Price
Campos	5346	2	Light Separable Pull Cluster, Ed. Base				F	3	11 lbs.	\$4.25
Caneo	5347	3	"	"	"	"	F	10 "	5.15	
Canis	5348	4	"	"	"	"	F	12 "	6.10	
Cano	5349	5	"	"	"	"	F	13 "	7.05	
Cantor	5350	6	"	"	"	"	F	14 "	8.00	
Capeto	5351	2	"	"	"	"	F	9 "	4.25	
Capin	5352	3	"	"	"	"	F	10 "	5.15	
Carbo	5353	4	"	"	"	"	F	12 "	6.10	
Caso	5354	5	"	"	"	"	F	13 "	7.05	
Castro	5355	6	"	"	"	"	F	14 "	8.00	
Casula	5356	2	"	"	"	West	F	9 "	4.25	
Canson	5357	3	"	"	"	"	F	10 "	5.15	
Calero	5358	4	"	"	"	"	F	12 "	6.10	
Canson	5359	5	"	"	"	"	F	13 "	7.05	
Carno	5360	6	"	"	"	"	F	14 "	8.00	

If furnished with special heavy chain over steel in length, add to list, per foot .34

If furnished with sockets welded, add to list, per light .20

If furnished with stem, energy proof contact, see pages 108, 109, 110. For special finishes, see page 118

## Hubbell Separable Pull Clusters

Patented May 19, 1902. July 19, 1903.

This Cluster is of a similar design to our regular Pull Cluster, except it has a separable bottom for wiring the fixture from the underside, and it is made of heavy gauge (No. 22) metal for high grade work.

Complete with Shade Holder, special heavy Chain and Acorn, not wired. Standard length of chain measured from bottom of Cluster, 3 ft. Cluster furnished for  $\frac{1}{4}$  inch stem unless otherwise specified.

See opposite page for prices



No. 5347

## Hubbell Fixture Pull Clusters

Code Word	List No.		Sched. cls.	Std. Pkg.	Pkg. Weight	Price
Canor	5384	2 Light Fixture, Pull Cluster, Ed. Base	F	5	8 lbs	\$3.55
Canus	5385	3 " " " " " "	F	5	" "	4.50
Carpo	5386	4 " " " " " "	F	10	" "	5.50
Cito	5387	5 " " " " " "	F	11	" "	6.50
Civis	5388	6 " " " " " "	F	12	" "	7.50
Cogito	5389	2 " " " " " " T.H.	F	8	" "	3.55
Cogo	5390	3 " " " " " " " "	F	9	" "	4.50
Colo	5391	4 " " " " " " " "	F	10	" "	5.50
Costo	5392	5 " " " " " " " "	F	11	" "	6.50
Cremo	5393	6 " " " " " " " "	F	12	" "	7.50
Crepo	5394	2 " " " " " " West.	F	8	" "	3.55
Crispo	5395	3 " " " " " " " "	F	9	" "	4.50
Consto	5396	4 " " " " " " " "	F	10	" "	5.50
Connecto	5397	5 " " " " " " " "	F	11	" "	6.50
Conto	5398	6 " " " " " " " "	F	12	" "	7.50

If furnished with chain over 3 feet in length, add to list, per foot . . . . .10

If furnished with sockets wired, add to list, per light . . . . .20

If desired with zinc, enameled and crowfoot, see pages 105, 110, 112. For special finishes, see page 115

02

## Hubbell Fixture Pull Clusters

Patented May 21, 1906; June 27, 1906

This Cluster, although of the same general makeup as our regular Cluster, is designed for more ornamental work.

It is equipped with 2 1/4 Hubbell Shade Holders for two shades. Not wired.

Standard Length of Chain from Bottom of Cluster, three feet, not wired.

See opposite page for prices.



103

## Hubbell Side Wall Pull Clusters

Code Word	List No.		Sched-ule	Std. Pkg.	Pkg. Weight	Price
Canet	5400	Side Wall Pull Cluster Straight Electric Ed. Sockets . . . . .	F	5	10 lbs.	\$5.50
Citrus	5401	Side Wall Pull Cluster Straight Electric T. H. Sockets . . . . .	F	5	10 "	5.50
Coloris	5402	Side Wall Pull Cluster Straight Electric West. Sockets . . . . .	F	5	10 "	5.50
		If furnished with chain over 1 foot in length, add to list, per foot . . . . .				.10
		If furnished wired, add to list . . . . .				1.00

For special finishes see page 118

## Hubbell Side Wall Pull Clusters

Patented May 27, 1902; July 25, 1903

This fixture, while both ornamental and substantial, is conveniently reached for turning on and off the lights by the chain, and, like our Pull Cluster, dispenses with extra wiring and wall switches. It is well adapted to halls and public rooms, where it is desirable to place the fixture at a greater height than would be convenient with the key socket. It is fitted with  $\frac{3}{4}$  inch Hubbell Shade Holders, without shades. Not wired

Standard length of chain measuring from button to acorn, one foot.

See opposite page for prices



No. 5301




## Hubbell Key and Keyless Clusters

This Cluster is made on the same general plan as our Pull Cluster, except the regular Key or Keyless Socket is used instead of our Pull Socket and Chain. When used with our regular Pull Clusters it furnishes a uniform design throughout the building, at the same time being much more substantial than any other key cluster, as the caps of the socket are a part of the cluster center, and are not attached to the center by a threaded nipple.

Cluster complete with sockets attached and Shade Holder. Not wired.

Furnished for  $\frac{3}{8}$  inch stem unless otherwise specified.

See opposite page for prices



No. 5190—Keyless

## Hubbell Cluster and Socket Fittings

Grade Weight	Part No.	Description	Standard Size	Std. Pkg.	Pkg. Weight	Price
Ferric	5364	4 1/2 inch Canopy with 5/8 Slip Ring	L	5	5 lbs.	\$ .30
Fluxed	5365	4 1/2 " " " " " " " "	L	5	5 "	.30
Fluxless	5366	5/8 " " " " " " " "	L	5	8 "	.70
Fluxless	5367	5 1/2 x 1 1/8 inch Extension Ring	L	5	3 "	.27

For special finishes, see page 118

## Hubbell Cluster and Socket Fittings

Canopy—4½ inches wide, 4 inches deep

List No. 5364—Canopy with ⅝ inch Slip Ring.

List No. 5365—Canopy with ¾ inch Slip Ring.



No. 5364



No. 5366

Canopy—5½ inches wide, 5½ inches deep, 22 gauge

(Furnished with Separable Cluster, see page 30)

List No. 5366—Canopy with ¾ inch Slip Ring.

Extension Ring—5½ inches wide, 1½ inch deep, 22 gauge

List No. 5367—Extension Ring.



No. 5367

See opposite page for prices

## Hubbell Cluster and Socket Fittings

Code Word	List No.	Description	Sched-ule	Std. Pkg.	Pkg. Weight	Price
Fussum	5372	$\frac{3}{8}$ inch 17 gauge Brass Stem . . . .	L	5	8 lbs. per ft.,	\$ .30
Firma	5373	$\frac{3}{8}$ " Iron Pipe with $\frac{3}{4}$ inch Covering Tube, 24 gauge . . . .	L	5	20 " "	.35
Fraudis	5374	$\frac{3}{8}$ inch x $\frac{3}{4}$ inch Malleable Iron Insulating Joints . . . . .	L	5	7 " "	.45
Facere	5375	$\frac{3}{8}$ inch x $\frac{3}{8}$ inch Brass Insulating Joints . . . . .	L	5	7 " "	.50
Fulvus	5376	$\frac{3}{8}$ inch x $\frac{3}{4}$ inch Malleable Iron Insulating Joints, with Hickey .	L	5	11 " "	.50
Funis	5377	$\frac{3}{8}$ inch x $\frac{3}{8}$ inch Brass Insulating Joints, with Hickey . . . . .	L	5	11 " "	.60

For special finish stems, see page 118

## Hubbell Cluster and Socket Fittings



No. 5372



No. 5373



No. 5376

Stems are highly polished and lacquered. No. 5372, No. 17 gauge; No. 5373 covering tube, No. 24 gauge.

Insulating joints with and without hickey are of standard make, and will fit all our fixtures.

See opposite page for prices

## Hubbell Cluster and Socket Fittings

Order No.	Hubbell No.	Description	Length (in.)	Net Price	Approx. Weight (lb.)	Price
5368	5368	1/4 in. Standard Holder, for 1/4 in. Stem	L	\$	3 lbs.	\$ 10
5369	5369	1/4 in. Standard Holder, for 1/4 in. Stem	L	\$	3 lbs.	10
5378	5378	1/4 in. Standard Holder, for 1/4 in. Stem	L	\$	4 lbs.	10
5379	5379	1/4 in. Standard Holder, for 1/4 in. Stem	L	\$	4 lbs.	\$ 50 per 100

For special quantities and lead times, see page 118

## Hubbell Cluster and Socket Fittings

This shade holder is of heavy gauge metal and fits the regular  $3\frac{1}{4}$  inch flat porcelain shade. Is made for  $\frac{3}{8}$  inch stem and  $\frac{1}{4}$  inch covering tube.



No. 5368



No. 5375



No. 5376

Hickey is made of malleable iron, and is of special design for our Cluster Centers.  
Crowfoot is of standard design and heavy casting.

See opposite page for prices

## Hubbell Cluster and Socket Fittings

Code Word	List No.		Sched- ule	Std. Pkg.	Pkg. Weight	Price
Klas	5380	1/8 inch Socket Bushings	L	1000	3 lbs	\$7.50
Floris	5381	3/8 " Fixture "	L	1000	10 "	10.00
Fluit	5382	Chain, per foot	F			.10
Falda	5383	Acorn, each, attached	F			.66
Futilit	5399	Heavy Chain, per foot	F			.31
Futilito	5535	Candelabra, " "	F			.10

For special finishes, see pages 106-118

## Hubbell Cluster and Socket Fittings

Socket Bushings are of regular standard make of  
Composition.

Chains are made expressly for us, and are carefully  
tested, polished and lacquered.

See opposite page for prices



No. 338



No. 339

## Price List Special Finishes

Article	Finish	Sched. rate	Price Add to List
Hubbell Pull Sockets including Chain and Acorn	Old Brass	A B	\$ .06
	Rich Gilt		
Hubbell Pull Sockets including Chain and Acorn	Old English Bronze	A B	.10
	Oxidized Brass		
	Etruscan Gilt		
	Mottled Copper		
	Polished Bronze		
	Polished Steel		
	Bauer Barti		
	Lemon Brass		
Hubbell Pull Sockets including Chain and Acorn	Burnished Gilt	A B	.15
	Oxidized Silver		
	Buick's Silver		
	Pompeian Bronze		
	Polished Silver		
Chain for Sockets	Satin Gold	A B	.02
	All Finishes, per foot		

See page 9 for Telegraphic Code



## Price List Special Finishes—Continued

Page	List No.	Article	Schedule	Price
68	5155-49	Pull Clusters Standard	F	\$ .70
100	5146-60	" " Separable		.80
102	5324-68	" " Fixture		1.00
104	.....	" " Side Wall	F	1.00
106	5195-209	Key and Keyless Clusters	L	.45
108	5304	4 1/2 Canopy	L	.25
108	5305	5 1/2 " "	L	.25
108	5307	Extension Ring	L	.40
110	5312	1/2 in. Stem	L	.10
110	5313	3/4 Covering Tube	L	.08
112	5308-9	Cluster Shade Holder	L	.10
114	5323	Acorn	F	.12

The above prices cover the following finishes:

Old Brass	Oxidized Copper	Wrought Iron	English Bronze	Antique Copper	Rauet Barff
Roch Gou	Nickel Plate	Old-English Bronze	Mottled Copper	Polished Copper	Acid Bronze

All other finishes on application.

See page 4 for Telegraphic Code

18

## General Index

	Page		Page
Adapters . . . . .	33	Attachment Plugs, Theatre . . . . .	67
Attachment Plugs, Angle . . . . .	63	"    "    Weatherproof . . . . .	69
"    "    Caps (Fuseless) . . . . .	73	Bushings . . . . .	113
"    "    "    (Fusible) . . . . .	75	Candelabra Extensions . . . . .	27
"    "    Chandelier . . . . .	41-45	Canopies . . . . .	100
"    "    Composition . . . . .	37	Chain . . . . .	115
"    "    Floor . . . . .	65	Crowfeet . . . . .	113
"    "    Flush . . . . .	47-49	Clusters, Fixture . . . . .	103
"    "    Multiple . . . . .	53-57	"    Key and Keyless . . . . .	107
"    "    Receptacle . . . . .	71	"    Separable . . . . .	101
"    "    Regular . . . . .	35	"    Side Wall . . . . .	105
"    "    Reinforced		"    Standard Pull . . . . .	99
Cord (for) . . . . .	39	Current Tap . . . . .	59
"    "    Side Wall . . . . .	61	Extension Ring . . . . .	109

## General Index — *Continued*

	Page		Page
Guards . . . . .	95-97	Shade Holders for sockets . . . . .	77-79
Hickeys . . . . .	113	Index to Code Words . . . . .	9-7, 121-123
Insulating Joints . . . . .	111	"    "    List Numbers . . . . .	124-125
Light Attachment for Oil Lamp "Dazzlite" . . . . .	51	Special Finishes . . . . .	19
Receptacles, Floor . . . . .	51	Sockets (Pull) Angle . . . . .	21
Shades, Cone . . . . .	83	"    "    Candelabra . . . . .	25
"    Enameled Steel (flat) . . . . .	91	"    "    Extension . . . . .	11
"    Flat . . . . .	83	"    "    Lamp Base . . . . .	23
"    One-half Reflector . . . . .	81	"    "    Regular . . . . .	13
"    Parabola . . . . .	87	"    "    Rosette . . . . .	15
"    Shallow Cone . . . . .	85	"    "    Wall . . . . .	15-17
"    Special Cone Aluminum . . . . .	83	Stems . . . . .	111
Shade Holders for clusters . . . . .	113	Switch, Pull . . . . .	29

## Index to Code Words

Code Word	Page	Code Word	Page	Code Word	Page	Code Word	Page	Code Word	Page
<b>A</b>		Cano	180	Clematis	188	Fluorator	197	Flowerer	198
Addo	82	Cantor	182	Clepsy	188	Fluoratus	197	Floweretes	198
<b>C</b>		Causor	182	Cleus	188	Fluoratus	197	Flowerer	198
Cado	85	Castor	182	Clepe	188	<b>E</b>		Flowerer	198
Cacate	87	Capello	182	Clepus	188	Ely	20	Flowerer	198
Calent	88	Capellu	182	Clevis	188	Elym	20	Flowerer	198
Calere	88	Cando	186	Clevis	188	Elysi	20	Flowerer	198
Caler	88	Cano	186	Clevis	188	<b>F</b>		Flowerer	198
Caler	88	Carus	186	Cogito	188	Falere	100	Flowerer	198
Caler	88	Corpo	186	Cogo	188	Falla	100	Flowerer	198
Caler	88	Covo	186	Colo	188	Felle	100	Flowerer	198
Calery	180	Castro	186	Colores	188	Firma	100	Flowerer	198
Caligo	88	Castra	186	Connecto	188	Flagito	100	Flowerer	198
Calix	88	Causor	186	Conde	188	Flucto	100	Flowerer	198
Callena	88	Cito	188	Contra	188	Flux	100	Flowerer	198
Callis	88	Citras	188	Costo	188	Flux	100	Flowerer	198
Calo	88	Civis	188	Cremo	188	Flux	100	Flowerer	198
Calor	88	Clades	188	Crepe	188	Flux	100	Flowerer	198
Calca	88	Clamato	188	Crispo	188	Flux	100	Flowerer	198
Calcor	88	Clanger	188	<b>D</b>		Flux	100	Flowerer	198
Calpus	180	Clarus	188	Decem	80	Flux	100	Flowerer	198
Caneo	180	Clathri	188	Decet	80	Flux	100	Flowerer	198
Carris	180	Claudo	188	Deus	80	Flux	100	Flowerer	198
Canet	184	Clave	188			Flux	100	Flowerer	198



## Index to Code Words—Continued

Code Word	Page	Code Word	Page	Code Word	Page	Code Word	Page	Code Word	Page
Pendeo	50	Plato	46	Provo	46	Schola	7	Sigmas	52
Pensus	60	Pluvia	42	Proveco	64	Scando	4	Silva	7
Perago	58	Poena	66	Prunum	66	Scipio	84	Simulo	52
Perduco	58	Pomum	57	Paella	26	Scriba	7	Solator	50
Pereo	58	Pompa	66	Pugio	66	Scripsi	86	Solus	77
Perfero	55	Pondo	46	Pulcrum	26	Senans	112	Spemulo	50
Peritus	62	Pono	68	Pulvis	34	Servo	84	Sperio	7
Peto	62	Pontus	45	Punctus	72	Secta	112	Speritus	50
Piget	62	Porta	7	Punio	66	Sector	86	Status	70
Pilum	6	Postulo	74	Puteo	66	Sedes	7	Statum	7
Pinctum	70	Posco	6			Secluta	52	Stipula	77
Pirato	64	Positus	40	S		Sella	58	Stipulate	54
Placare	54	Possum	74	Saepe	7	Senel	58	Stultus	74
Placae	60	Post	74	Sagmo	86	Semper	58	Stupate	54
Placide	52	Potens	74	Salmus	6	Senatus	58	Super	77
Planare	41	Potior	74	Salmus	7	Senex	58	Supsetho	50
Plangor	70	Prendo	41	Salvus	52	Senior	66	Supus	50
Plebs	61	Premo	47	Salvus	6	Sermo	66	Suppens	50
Pleneo	46	Probe	7	Sano	7	Serpio	32	Supremus	52
Pleo	54	Propior	68	Satis	7	Serpens	86	Surgis	50
Plodo	44	Propter	56	Scaure	86	Sermo	66	Sustulit	50
Plus	40	Pruteleo	72	Scolus	84	Silvato	5		

## Index to List Numbers

Case No.	Page	Case No.	Page	Case No.	Page	Case No.	Page
100	28	111	28	120	27	129	28
101	28	112	28	121	28	130	28
102	28	113	28	122	28	131	28
103	28	114	28	123	28	132	28
104	28	115	28	124	28	133	28
105	28	116	28	125	28	134	28
106	28	117	28	126	28	135	28
107	28	118	28	127	28	136	28
108	28	119	28	128	28	137	28
109	28	120	28	129	28	138	28
110	28	121	28	130	28	139	28
111	28	122	28	131	28	140	28
112	28	123	28	132	28	141	28
113	28	124	28	133	28	142	28
114	28	125	28	134	28	143	28
115	28	126	28	135	28	144	28
116	28	127	28	136	28	145	28
117	28	128	28	137	28	146	28
118	28	129	28	138	28	147	28
119	28	130	28	139	28	148	28
120	28	131	28	140	28	149	28
121	28	132	28	141	28	150	28
122	28	133	28	142	28	151	28
123	28	134	28	143	28	152	28
124	28	135	28	144	28	153	28
125	28	136	28	145	28	154	28
126	28	137	28	146	28	155	28
127	28	138	28	147	28	156	28
128	28	139	28	148	28	157	28
129	28	140	28	149	28	158	28
130	28	141	28	150	28	159	28
131	28	142	28	151	28	160	28
132	28	143	28	152	28	161	28
133	28	144	28	153	28	162	28
134	28	145	28	154	28	163	28
135	28	146	28	155	28	164	28
136	28	147	28	156	28	165	28
137	28	148	28	157	28	166	28
138	28	149	28	158	28	167	28
139	28	150	28	159	28	168	28
140	28	151	28	160	28	169	28
141	28	152	28	161	28	170	28
142	28	153	28	162	28	171	28
143	28	154	28	163	28	172	28
144	28	155	28	164	28	173	28
145	28	156	28	165	28	174	28
146	28	157	28	166	28	175	28
147	28	158	28	167	28	176	28
148	28	159	28	168	28	177	28
149	28	160	28	169	28	178	28
150	28	161	28	170	28	179	28
151	28	162	28	171	28	180	28
152	28	163	28	172	28	181	28
153	28	164	28	173	28	182	28
154	28	165	28	174	28	183	28
155	28	166	28	175	28	184	28
156	28	167	28	176	28	185	28
157	28	168	28	177	28	186	28
158	28	169	28	178	28	187	28
159	28	170	28	179	28	188	28
160	28	171	28	180	28	189	28
161	28	172	28	181	28	190	28
162	28	173	28	182	28	191	28
163	28	174	28	183	28	192	28
164	28	175	28	184	28	193	28
165	28	176	28	185	28	194	28
166	28	177	28	186	28	195	28
167	28	178	28	187	28	196	28
168	28	179	28	188	28	197	28
169	28	180	28	189	28	198	28
170	28	181	28	190	28	199	28
171	28	182	28	191	28	200	28
172	28	183	28	192	28	201	28
173	28	184	28	193	28	202	28
174	28	185	28	194	28	203	28
175	28	186	28	195	28	204	28
176	28	187	28	196	28	205	28
177	28	188	28	197	28	206	28
178	28	189	28	198	28	207	28
179	28	190	28	199	28	208	28
180	28	191	28	200	28	209	28
181	28	192	28	201	28	210	28
182	28	193	28	202	28	211	28
183	28	194	28	203	28	212	28
184	28	195	28	204	28	213	28
185	28	196	28	205	28	214	28
186	28	197	28	206	28	215	28
187	28	198	28	207	28	216	28
188	28	199	28	208	28	217	28
189	28	200	28	209	28	218	28
190	28	201	28	210	28	219	28
191	28	202	28	211	28	220	28
192	28	203	28	212	28	221	28
193	28	204	28	213	28	222	28
194	28	205	28	214	28	223	28
195	28	206	28	215	28	224	28
196	28	207	28	216	28	225	28
197	28	208	28	217	28	226	28
198	28	209	28	218	28	227	28
199	28	210	28	219	28	228	28
200	28	211	28	220	28	229	28

## Index to List Numbers—Continued

Cat. No.	Page	Cat. No.	Page	Cat. No.	Page	Cat. No.	Page	Cat. No.	Page
5419 . . . . .	72	5454 . . . . .	88	5478 . . . . .	86	5504 . . . . .	48	5528 . . . . .	78
5420 . . . . .	72	5455 . . . . .	82	5479 . . . . .	92	5505 . . . . .	48	5529 . . . . .	30
5421 . . . . .	72	5456 . . . . .	82	5480 . . . . .	92	5506 . . . . .	50	5530 . . . . .	30
5422 . . . . .	40	5457 . . . . .	82	5481 . . . . .	26	5507 . . . . .	50	5531 . . . . .	30
5423 . . . . .	42	5458 . . . . .	82	5482 . . . . .	26	5508 . . . . .	50	5532 . . . . .	80
5424 . . . . .	70	5459 . . . . .	82	5483 . . . . .	26	5509 . . . . .	58	5533 . . . . .	90
5425 . . . . .	70	5460 . . . . .	86	5485 . . . . .	94	5510 . . . . .	58	5534 . . . . .	96
5426 . . . . .	60	5461 . . . . .	86	5487 . . . . .	94	5511 . . . . .	58	5535 . . . . .	114
5427 . . . . .	60	5462 . . . . .	88	5488 . . . . .	32	5512 . . . . .	60	5536 . . . . .	96
5428 . . . . .	60	5463 . . . . .	88	5489 . . . . .	36	5513 . . . . .	60	35000 . . . . .	12
5429 . . . . .	80	5464 . . . . .	88	5490 . . . . .	36	5514 . . . . .	60	35001 . . . . .	12
5430 . . . . .	80	5465 . . . . .	88	5491 . . . . .	38	5515 . . . . .	62	35002 . . . . .	12
5431 . . . . .	82	5466 . . . . .	88	5492 . . . . .	38	5516 . . . . .	62	35003 . . . . .	12
5432 . . . . .	82	5467 . . . . .	36	5493 . . . . .	38	5517 . . . . .	62	35004 . . . . .	12
5433 . . . . .	82	5468 . . . . .	36	5494 . . . . .	38	5518 . . . . .	66	35005 . . . . .	12
5434 . . . . .	82	5469 . . . . .	64	5495 . . . . .	44	5519 . . . . .	66	35006 . . . . .	14
5435 . . . . .	82	5470 . . . . .	64	5496 . . . . .	44	5520 . . . . .	68	35007 . . . . .	14
5436 . . . . .	82	5471 . . . . .	64	5497 . . . . .	44	5521 . . . . .	68	35008 . . . . .	14
5440 . . . . .	84	5472 . . . . .	32	5498 . . . . .	48	5522 . . . . .	68	35009 . . . . .	18
5441 . . . . .	84	5473 . . . . .	84	5499 . . . . .	48	5523 . . . . .	72	35010 . . . . .	18
5442 . . . . .	84	5474 . . . . .	84	5500 . . . . .	48	5524 . . . . .	74	35011 . . . . .	18
5443 . . . . .	46	5475 . . . . .	84	5501 . . . . .	48	5525 . . . . .	74	35012 . . . . .	18
5444 . . . . .	46	5476 . . . . .	82	5502 . . . . .	48	5526 . . . . .	74	35021 . . . . .	20
5445 . . . . .	46	5477 . . . . .	86	5503 . . . . .	48	5527 . . . . .	74	35022 . . . . .	16
5446 . . . . .	46								





